Dart Aerospace Ltd. Tuesday, 4/18/2006 9:58:30 AM Date: Kim Johnston User: **Process Sheet** : CU-DAR001 Dart Helicopters Services **Drawing Name** : BUSHING Customer Job Number : 26644 : 10725 **Estimate Number** : NIA : D2652 P.O. Number Part Number : 4/18/2006 S.O. No. : MA : D2652 REV A **Drawing Number** This Issue Prsht Rev. : NC Project Number : N/A : NIA : MACHINED PARTS Type : A First Issue **Drawing Revision** : 25835 Material AIU: **Previous Run Due Date** : 5/5/2006 Qty: 200 Um: Written By Checked & Approved By Comment **Additional Product** Job Number: **Machine Or Operation:** Description: Seq. #: M303R0500 303 Round Bar 0.500" 1.0 Comment: Qty.: 0.0578 f(s)/Unit Total: 11.5500 f(s) Material:303 ss .500" Round Bar (M303R0500) Batch: M19488 06/06/11 HARDINGE CNC LATHE SMALL 2.0 Comment: HARDINGE CNC LATHE SMALL 1-Turn as per Folio FA250 & Dwg D2652 2-Deburr 3.0 QC2 INSPECT PARTS AS THEY COME OFF MAC Comment: INSPECT PARTS AS THEY COME OFF MACHINE 4.0 QC8 SECOND CHECK

PACKAGING 1

200

200

Each

Comment: SECOND CHECK


200 PACKAGING RESOURCE #1

Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:

Inspection



Job Completion

Page 1

5.0



Form: rprocess

## Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
<u>C</u>										

Part No:	PAR #:	Fault Category:	NCR: Yes No	DQA:	Date: 2404B
			QA: N/C	Closed:	Date:

NCR:	,	WORK ORDER NON-CONFORMANCE (NCR)							
		STED Description of NC		Corrective Action Section B					
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspecto	

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	26644
Description: Bushing	Part Number:	D2652
Inspection Dwg: D2652 Rev: A		Page 1 of 1


## FIRST ARTICLE INSPECTION CHECKLIST

X	First Article		Prototype
---	---------------	--	-----------

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.600	+/-0.010					
0.060	+/-0.005		,			
Ø0.305	-0.002/+0.000					
Ø0.191	+0.005/-0.000					
Ø0.500	+/-0.010					
0.030 x 20°	+/-0.010					
R0.010	+0.010/-0.000					
				_		
			()	5		
		Com			~2	
				1/1		
			**	<del>-</del>		
		$\sim$	120			. 1.1
				_	0 0	106/11
				N		
				1		

Measured by:	Audited by:	Prototype Approval:	N/A
Date:	Date:	Date:	


Rev	Date	Change	Revised by	Approved
Α	03.12.12	New Issue	KJ/RF	1 4-1








	DESIGN	DRAWN BY	DART AEROSPACE US/ FAIRCHILD INTERNATIONAL AIRPORT	
	CHECKED	APPROVED	DRAWING NO.	REV. A
	BW	DIDI	D2652	SHEET 1 OF 1
-	DATE		TITLE	SCALE
	97:03:25		BUSHING	1:1





MATERIAL: AISI 303 SS

NOTE: BREAK ALL SHARP CORNERS 0.010 MAX

TOLERANCES ARE PER DART OST 018 UNLESS OTHERWISE NOTEROLLED COPUNCONTROLLED COP

SHOP COPY RETURN TO ENGINEERING

SUBJECT TO AMENDMENT

WITHOUT NOTICE

NO. WORK ORDER